

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4021	359/223,224,290- 295,298;345/85,108,109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:23
2	BRS	L2	3603	torsion\$5 near4 hinge\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:23
3	BRS	L3	430	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:24
4	BRS	L4	2	("2002/0067533").URPN.	USPAT	2006/08/ 25 17:42
5	BRS	L5	24	("20020067533"   "4317611"   "5191251"   "5867297"   "5867302"   "5914801"   "5920417"   "5955817"   "5960132"   "5962949"   "5994816"   "6020272"   "6023121"   "6040935"   "6087747"   "6114794"   "6134042"   "6181460"   "6186399"   "6201629"   "6256430"   "6498870"   "6542653").PN. OR ("6757093").URPN.	US-PGPUB; USPAT; USOCR	2006/08/ 25 17:43
6	BRS	L6	134	("4589726"   "5333117"   "5715337").PN. OR ("5960132").URPN.	US-PGPUB; USPAT; USOCR	2006/08/ 25 18:18
7	BRS	L8	1	Kastalsky-alexander-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 18:24
8	BRS	L9	51	Kastalsky-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 18:24
9	BRS	L10	0	("2005/0225827").URPN.	USPAT	2006/08/ 25 18:24
10	BRS	L7	3290	1 not 3	US-PGPUB; USPAT; USOCR	2006/08/ 25 18:28

10/822,830

	Document ID	1	Kind Codes	Source	Issue Date	Pages	Title
1	US 6847152 B2	X		US PAT	20050125	21	Microelectromechanical system for tilting a platform
2	US 6215222 B1	X		US PAT	20010410	28	Optical cross-connect switch using electrostatic surface actuators
3	US 6639572 B1	X		US PAT	20031028	21	Paper white direct view display
4	US 5867297 A	X		US PAT	19990202	16	Apparatus and method for optical scanning with an oscillatory microelectromechanical system
5	US 6532093 B2	X		US PAT	20030311	14	Integrated micro-opto-electro-mechanical laser scanner
6	US 6757093 B2	X		US PAT	20040629	17	MEMS reflectors having tail portions that extend inside a recess and head portions that extend outside the recess and methods of forming same
7	US 6788520 B1	X		US PAT	20040907	12	Capacitive sensing scheme for digital control state detection in optical switches
8	US 5960132 A	X		US PAT	19990928	18	Fiber-optic free-space micromachined matrix switches
9	US 6606428 B2	X		US PAT	20030812	13	Angular-precision enhancement in free-space micromachined optical switches

	<b>Abstract</b>	<b>Current OR</b>	<b>Current XRef</b>
<b>1</b>		310/309	359/224; 359/225; 385/18
<b>2</b>		310/309	
<b>3</b>		345/55	345/102; 345/108; 345/109; 359/227; 359/233; 359/234
<b>4</b>		359/198	235/462.32; 359/199; 359/200; 359/201; 359/202; 359/212; 359/213; 359/214; 359/223
<b>5</b>		359/198	359/201; 359/223; 359/224
<b>6</b>		359/291	359/280; 359/290; 385/17; 438/52
<b>7</b>		361/207	
<b>8</b>		385/18	
<b>9</b>		385/18	359/198; 359/223; 359/224; 385/17

	Document ID	1	Kind Codes	Source	Issue Date	Pages	Title
10	US 6556741 B1	X		US PAT	20030429	24	MEMS optical switch with torsional hinge and method of fabrication thereof
11	US 6396975 B1	X		US PAT	20020528	25	MEMS optical cross-connect switch

	<b>Abstract</b>	<b>Current OR</b>	<b>Current XRef</b>
<b>10</b>		385/18	359/874
<b>11</b>		385/18	385/16